


Dry Time Onyx – R1 vs. Air Temperature°F & % Relative Humidity



Dry Time Correction Factors

Wind MPH	Wind Factor in Drying Time
1	100%
5	30%
10	20%
15	15%
20	10%

Pavement ° F above Air Temp °F	Pavement °F Drying Factor
0° F	100%
10° F	75%
20° F	50%
30° F	25%

Chart times should be adjusted for steady wind (mph) and pavement temperature conditions.

© example @ 80°F, 50% RH with 5 mph wind and 100°F pavement, then Dry Time Estimate = 250 x 30% x 50% = 38 minutes